

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3376	("same" adj4 (customer or passenger or client or traveler or traveller)) and ((different or various or serveral or disparat\$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:14
L2	183	("same" adj4 (customer or passenger or client or traveler or traveller)) same ((different or various or serveral or disparat\$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:15
L3	106	2 and ("705"/\$.ccls. or "707"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:15
L4	28	3 and (identifier adj8 (customer or passenger or client or traveler or traveller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:16
L5	18	4 and (@AD <= "20010710" or @RLAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:19

L6	218	("same" adj2 (customer or passenger or client or traveler or traveller)) and ((storing or store \$1) adj6 ((different or various or serveral or disparat\$6) adj4 ((data adj store) or storage or source or database or (data adj base))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:23
L7	104	6 and (@AD <= "20010710" or @RILAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:23
L8	5	("same" adj2 (customer or passenger or client or traveler or traveller)) same ((storing or store\$1) adj6 ((different or various or serveral or disparat \$6) adj4 ((data adj store) or storage or source or database or (data adj base))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:24
L9	5	("same" adj2 (customer or passenger or client or traveler or traveller)) same ((storing or store\$1) adj6 ((different or various or serveral or disparat \$6) adj4 ((data adj store) or storage or source or database or (data adj base) or platform)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:25
L10	2	9 and (@AD <= "20010710" or @RILAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:26
L11	14477	(identifier adj8 (customer or passenger or client or traveler or traveller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:27

L12	5976	11 and (@AD <= "20010710" or @RLAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:27
L13	248	12 and shar\$6 near4 (customer or passenger or traveler or traveller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:27
L14	8	13 and travel near3 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:27
L15	139	12 and travel near3 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:28
L16	96	15 and ("705"/\$.ccls. or "707"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:29
L17	24	16 and (customer or passenger or client or traveler or traveller) near2 (identifier or ID or (identifying adj (information or data))) and ((different or various or serveral or dispatat \$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:38
L18	1	16 and (customer or passenger or client or traveler or traveller) near6 ((different or various or serveral or dispatat\$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:40

L19	10	16 and (customer or passenger or client or traveler or traveller) same ((different or various or serveral or disparat\$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:40
L20	9	12 and travel near base\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:43
L21	395	12 and (customer or passenger or client or traveler or traveller) same ((different or various or serveral or disparat\$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:45
L22	322	21 and (customer or passenger or client or traveler or traveller) near2 (identifier or ID or (identifying adj (information or data))) and ((different or various or serveral or disparat \$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:45
L23	14	22 and travel near3 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:46
L24	130	12 and (customer or passenger or traveler or traveller) same ((different or various or serveral or disparat \$6) adj4 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:46

L25	23	24 and shar\$6 near4 (customer or passenger or traveler or traveller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:47
L26	1	25 and travel near3 (base or based or information) and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:48
L27	1	24 and travel near3 (base or based or information) and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:48
L28	9	24 and travel and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:49
L29	5352	((identifier adj8 (customer or passenger or traveler or traveller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:57
L30	2311	29 and (@AD <= "20010710" or @RLAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:58
L31	153	30 and (customer or passenger or traveler or traveller) same (((different or various or serveral or disparat \$6) adj6 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 07:59
L32	16	31 and (customer or passenger or traveler or traveller) same (identifying adj3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:00

L33	2109	((customer or passenger or traveler or traveller) same ((identifying adj3 information) and (Identifier or ID or alias or identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:17
L34	1053	33 and (@AD <= "20010710" or @RLAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:17
L35	144	34 and (customer or passenger or traveler or traveller) same ((variety or different or various or several or disparat\$6) adj6 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:18
L36	21	35 and (customer adj ((relationship adj management) or (information adj system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:19
L37	16	36 and (travel\$6 or trip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:20
L38	84	35 and (travel\$6 or trip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:21
L39	59	35 and travel near3 (base or based or information) and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:21
L40	59	35 and travel near3 (base or based or related or information) and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:23

L41	2109	(customer or passenger or traveler or traveller) same ((identifying adj3 information) and (Identifier or ID or alias or identification or (unique adj identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:24
L42	1271	(customer or passenger or traveler or traveller) with ((identifying adj3 information) and (Identifier or ID or alias or identification or (unique adj identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:24
L43	647	42 and (@AD <= "20010710" or @RLAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:25
L44	12	43 and cross adj referencing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:25
L45	8	43 and cross adj referencing near6 (customer or traveler or traveller or passenger or identifying or address or email -r e-mail or mail or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:27
L46	30	43 and (cross adj referenc\$3) near6 (customer or traveler or traveller or passenger or identifying or address or email or e-mail or mail or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:28
L47	10	46 and travel near3 (base or based or related or information or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:28

L48	31	43 and (cross adj referenc\$3) with (customer or traveler or traveller or passenger or identifying or address or email or e-mail or mail or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:31
L49	15	48 and (customer or passenger or traveler or traveller) same ((different or variety or various or several or disparat\$6) adj6 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:35
L50	4	48 and (customer or passenger or traveler or traveller) with ((different or variety or various or several or disparat\$6) adj6 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:36
L51	71	43 and (customer or passenger or traveler or traveller) same ((different or variety or various or several or disparat\$6) adj6 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:38
L52	11	51 and travel near3 (base or based or related or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:38
L53	33	43 and (customer adj ((relationship adj management) or (information adj system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:39

L54	6	53 and shar\$6 near4 (customer or passenger or traveler or traveller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:40
L55	13	43 and (customer adj ((relationship adj management) or (information adj system))) and travel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:42
L56	921	(customer or passenger or traveler or traveller or client) same ((identifying adj3 information) and (Identifier or ID or alias or identification or (unique adj (ID or identifier)))) and travel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:46
L57	483	56 and (@AD <= "20010710" or @RLAD <= "20010710")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:47
L58	259	57 and ("705"/\$.ccls. or "707"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:47
L59	61	58 and (customer or passenger or traveler or traveller or client) same ((different or variety or various or serveral or disparat \$6) adj6 ((data adj store) or storage or source or database or (data adj base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:47
L60	26	59 and travel near3 (base or based or related or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:48

L61	4	58 and cross adj referencing near6 (customer or traveler or traveller or passenger or identifying or address or email -r e-mail or mail or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:51
L62	4	58 and cross adj referencing near6 (customer or traveler or traveller or passenger or identifying or address or email -r e-mail or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 08:51

7/ 23/ 08 8:53:23 AM

C:\Documents and Settings\aly\My Documents\EAST\Workspaces\LY.wsp